

SYSTEM STUDENT MANAGEMENT

A project report submitted in partial fulfilment of the requirements for the degree of

Bachelor of Computer Applications(BCA)

Of

North Eastern Hill University(NEHU)



Submitted by

Name: Vishakha Mishra

Roll no. : P1500080

Reg. No: 3160 of 2014-15



DEPARTMENT OF COMPUTER SCIENCE APPLICATIONS

SHILLONG COLLEGE

SHILLONG 793003

MEGHALAYA


APRIL 2017


CERTIFICATE

It is certified that the work contained in the project report titled online student management system is a bonafide work done by Vishakha Mishra , University Roll No.:P1500080 , Registration No : 3160 of 2014-15 , has been carried out under my supervision during the final year of Bachelor of Computer Applications.

Smt. Aiom Mitri
Supervisor
Dept. Of Comp. Sci.&App.
Shillong College

Project seminar was held on..... at Shillong
College, Shillong.


Smt. Aiom Mitri
HOD
Dept. Of Comp. Sci.&App.
Shillong College
Shillong


17/04/2017
External examiner

Acknowledgment

I thank the Almighty God for the blessings he bestowed upon me.

I would like to express my deepest appreciation to all those who provided me the possibility to complete this project. A special gratitude to Smt Aiom Mitri for this guidance and encouragement in carrying out this project work. I also wish to express my gratitude to Smt Aiom Mitri, HOD and other faculty members of Department of Computer Science and Application, Shillong College, who rendered their help during the period of my project work.

I also thank Dr. KD Ramesej, Principal, Shillong College for providing me the opportunity to work on this project.

Thanking You

Vishakha Mishra

4. JAVASCRIPT

5.CSS

SOFTWARE REQUIREMENTS

PHP 5.0

APACHE HTTP Server

XAMPP

Notepad++

HARDWARE REQUIREMENTS

Intel Pentium IV processor or equivalent or higher


512 MB Ram or Higher

20 GB HDD or Higher


Network Connectivity

DESIGN PHASE


ER-Diagram



Decision Tree



DATABASE STUDY



MYSQL

MySQL is a relational database management system (RDBMS) that runs as a server providing multi-user access to a number of databases. MySQL is a popular choice of database for use in web applications and is an open source product. The process of setting up a MySQL database varies from host to host, however we will end up with a database name, a user name and a password. Before using our

database, we must create a table. A table is a section of the database for storing related information. In a table we will set up the different fields which will be used in that table. Creating a table in phpMyAdmin is simple, we just type the name, select the number of fields and click the 'go' button. we will then be taken to a setup screen where you must create the fields for the database. Another way of creating databases and tables in phpMyAdmin is by executing simple SQL statements. We have used this method in order to create our database and tables.

APACHE

The Apache HTTP Server is a web server software notable for playing a key role in the initial growth of the World Wide Web. Apache is developed and maintained by an open community of developers under the auspices of the Apache Software Foundation. Since April 1996 Apache has been the most popular HTTP server software in use.

XAMPP

XAMPP is a small and light Apache distribution containing the most common web development technologies in a single package. Its contents, small size, and portability make it the ideal tool for students developing and testing applications in PHP and MySQL.

OUTPUT

Shillong College Student Management Page

Login Page

FOR ADMIN

User-Id	<input type="text"/>
Password	<input type="password"/>
Log-In	<input type="button" value="Log-In"/>

STUDENT

User-Id	<input type="text"/>
Password	<input type="password"/>
	<input type="button" value="Log-In"/>


You are Logged in as bstud_admin@shammoka.in

<input type="button" value="Enroll New Student"/>	<input type="button" value="Edit Student Details"/>
<input type="button" value="View Student Details"/>	<input type="button" value="Delete Student Details"/>

Enrolled Successfully

Updated Successfully

Go to Home



ADMISSION NO. 1004

NAME OF STUDENT	Anuj
ADMISSION YEAR	2015
NAME OF THE VILLAGE/TOWN	Mumbai
DATE OF BIRTH	1995-07-31
GENDER	Male
RELIGION	Hindu
CASTE	rajput
9.COMMUNITY	----

LIVING WITH PARENTS/GUARDIAN

Name of the father/ Guardian	V.R Tyagi
Father/ Guardian's Educational Qualification & Occupation	graduation government job
Full Address with Pin Code	Mumbai 23456
Contact No.	12345987

Go Home

Master-Password	<input type="password"/>
	<input type="button" value="Continue"/> <input type="button" value="Cancel"/>

[Go to Home](#)

ADMISSION NO.	<input type="text"/>
<input type="text"/>	<input type="submit" value="Submit"/>

Deleted Successfully

[Goto Home](#)

You are Logged out

[Click here to Log-In Again](#)

Project Description

Student Information Management System can be used by education institutes to maintain the records of students easily. Achieving this objective is difficult using a manual system as the information is scattered, can be redundant and collecting relevant information may be very time consuming. All these problems are solved using this project.

Objectives

Maintenance of student records

Searching student records Users Views

The objective of Student information System is to allow the administrator of any organization to edit and find out the personal details of a student and allows the student to keep up to date his profile .It'll also facilitate keeping all the records of students, such as their id, name, address, phone number, DOB etc. So all the information about an student will be available in a few seconds. Overall, it'll make Student Information Management an easier job for the administrator and the student of any organization. The main purpose of this SRS document is to illustrate the requirements of the project Student information System and is intended to help any organization to maintain and manage its student's personal data.

Technologies Used

1. HTML
2. Web designing language: PHP
3. MYSQL

SOURCE CODE

1.bg.php

```
<style type="text/css">
body
{
background-color:ffffff;background-
image:href="D:/xampp/htdocs/Student_management/images/background/b.jpg";background-
repeat:no-repeat;background-position:center center;
}
</style>
<title>
Student Admin
</title>
<SCRIPT LANGUAGE="JavaScript">
var message="Sorry,Right click disabled";
////////////////////////////////////
function clickIE() {if (document.all) {alert(message);return false;}}
function clickNS(e) {if
(document.layers||(document.getElementById&&!document.all)) {
if (e.which==2||e.which==3) {alert(message);return false;}}
if (document.layers)
{document.captureEvents(Event.MOUSEDOWN);document.onmousedown=clickNS;}
else{document.onmouseup=clickNS;document.oncontextmenu=clickIE;}

document.oncontextmenu=new Function("return false")
// -->
</script>
```

2.config.php

```
<?php
$conn=mysql_connect("localhost","root","")or die("Connection to Server failed");
$db=mysql_select_db("u761479816_bdata",$conn)or die("Connection to Database failed");
?>
```

3.connect.php

```
<?php
$host = "localhost";
$dbusername = "root";
$dbpassword = "";
$dbname = "student";
$link_id = mysql_connect($host, $dbusername, $dbpassword);
if(!$link_id)
{
die(mysql_error("Can`t Connect To database"));
}
```



```
} else
{
    $db = mysql_select_db($dbname, $link_id);
}
if(!$db)
{
    die(mysql_error("Can`t select database"));
}
return;
?>
```

4.dashboard.php

```
<?php
session_start();
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php');
}
```

```
ob_start();
```

```
$wel="You are Logged in as ";
echo $wel.$_SESSION['stduid2'];
echo "&nbsp;"."&nbsp;";
echo '<input type="button" style="width:150px;height:30px" value="Click here to Logout"
onclick="window.location =\'logout.php\'" />';
?>
```

```
<html>
<head></head>
<title></title>
<body>
<br><br><br><br><br><br><br>
<center>
<table border="20" height="100" width="100" cellspacing="10" cellpadding="10"
bordercolor='#21DBD9' bgcolor='#E5F4F4'>
<TR>
<TD>
<center><input type="button" style="height:50px;width:200px" value="Enroll New Student"
onclick="window.location ='enroll.php'">
</TD>
<TD>
<center><input type="button" style="height:50px;width:200px" value="Edit Student Details"
onclick="window.location ='edit_adm_prof.php'">
</TD>
</TR>

<TR>
<TD>
```

```

<center><input type="button" style="height:50px;width:200px" value="View Student Details"
onclick="window.location ='view_adm_prof.php'">
</TD>
<TD>
<center><input type="button" style="height:50px;width:200px" value="Delete Student
Details" onclick="window.location ='deladmin.php'">
</TD>
</TR>
</table>
</center>
</body>
<?php
ob_end_flush();
?>
<?php
unset($_SESSION['maspwd2']);
?>

```

5.dashboard2.php

```

<?php
session_start();
if(!isset($_SESSION['stduid2'])&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}

ob_start();

$wel="You are Logged in as ";
echo $wel.$_SESSION['stduid2'];
echo "&nbsp;"&nbsp;";
echo '<input type="button" style="width:150px;height:30px" value="Click here to Logout"
onclick="window.location =\'logout.php\'" />';
?>

<html>
<head></head>
<title></title>
<body>
<br><br><br><br><br><br><br><br>
<center>
<table border="20" height="100" width="100" cellspacing="10" cellpadding="10"
bordercolor='#21DBD9' bgcolor='#E5F4F4'>
<TR>
<TD>
<center><input type="button" style="height:50px;width:200px" value="Enroll"
onclick="window.location ='stud_enroll.php'">
</TD>
<TD>

```

```

<center><input type="button" style="height:50px;width:200px" value="Edit Details"
onclick="window.location ='stud_edit_adm_prof.php'">
</TD>
</TR>

<TR>
<TD>
<center><input type="button" style="height:50px;width:200px" value="View Student Details"
onclick="window.location ='stud_view_adm_prof.php'">
</TD>
</TR>
</table>
</center>
</body>
<?php
ob_end_flush();
?>
<?php
unset($_SESSION['maspwd2']);
?>

```

6.default.php

```

<?php

include_once("bg.php");

include_once("config.php");
session_start();
ob_start();

?>

<center>

<h2>Shillong College Student Management Page</h2>

<h3>Student Management System</h3>
<table border="20" height="100" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form action="default.php" method="POST" autocomplete="off">
<TR>ADMIN
<TD><b>User-Id</b></TD>
<TD>
<input type="email" name="uid" style="width:180px;height:20px" required>
</TD>
</TR>

<TR>
<TD><b>Password</b></TD>
<TD>

```




```
</TD>
</TR>
</form>
</table>
<?php
if(isset($_POST['loger1']))
{
$uid = mysql_real_escape_string($_POST['uid']);
$pwd = mysql_real_escape_string($_POST['pwd']);
$result = mysql_query("SELECT * FROM user WHERE eid='$uid' AND pwd='$pwd'");

if($row = mysql_fetch_array($result))
{
$_SESSION['stduid2']=$row['eid'];//stores userid session
$_SESSION['stdpwd2']=$row['pwd'];//stores password session
header('location:dashboard2.php');
}
else
{
echo '<script type="text/javascript">alert("Invalid Username or Password!");</script>';
}
}
?>
</center>
<center>
<input type="button" value="SIGN UP" style="width:120px; height:30px"
onclick="window.location ='stud_reg.php'">
</center>
```

7.deladmin.php

```
<?php
include_once("bg.php");
include_once("config.php");
session_start();
ob_start();

?>
</br></br></br></br></br></br></br><center>
<table border="20" height="100" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form action="deladmin.php" method="POST" autocomplete="off">
<TR>
<TD><b>Master-Password</b></TD>
<TD>
<input type="password" name="mpwd" style="width:180px; height:20px" required autofocus>
</TD>
</TR>

<TR>
<TD></TD>
```



```

<TD>
<b>ADMISSION NO.</b>
</TD>
<TD>
<input type="text" name="admno" style="width:150px;height:20px" required autofocus>
</TD>
<TD>
<input type="submit" name="edit" value="Search" style="height:30px;width:90px">
</form>
</table>
<h3>Edit by Student Name</h3>
<table border="10" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form method="GET" action="edit_adm_prof.php">
<TR>
<TD>
<b>STUDENT NAME:</b>
</TD>
<TD>
<input type="text" name="name" style="width:180px;height:20px" required>
</TD>
<TD>
<input type="submit" name="editbyname" value="Search" style="height:30px;width:90px">
</form>
</table>
<br>
<?php
if(isset($_GET['editbyname']))
{
$name=mysql_real_escape_string($_GET['name']);
$sql = mysql_query("SELECT * FROM stud_adm WHERE name LIKE '%$name%'");
echo mysql_num_rows($sql);
echo "<b>". " result found";
echo "<center>";
echo "<table border='20' height='100' width='900' cellspacing='3' cellpadding='3'
bordercolor='#21DBD9'>
<tr>
<th>Photo</th>
<th>Admission No.</th>
<th>Name</th>
<th>More Details</th></tr>";
//And we display the results
while($row = mysql_fetch_assoc($sql))
{
echo "<tr bgcolor='#E5F4F4'>";
$admno=$row['adm_no'];
echo "<td width='3%'>". "<center><img width='120' height='120'
src=images/student/'.".$row['img']. ">";
echo "<td width='3%'>". "<center>". $row['adm_no']. "</td>";
echo "<td width='3%'>". "<center>". $row['name']. "</td>";
echo "<td width='3%'>";
echo "<center><a href='edit_adm_prof_pro.php?admno=$admno&edit=Search'>Edit
details</a>";

```

```

echo "</td>";
echo "</tr>";
}
echo "</table></center>";
}
?>
</center>
</body>

```

9.edit_adm_prof_pro

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}
?>

```

```

<?php
if(isset($_GET['edit']))
{
$admno=mysql_real_escape_string($_GET['admno']);
$result =mysql_query("SELECT * FROM stud_adm WHERE adm_no='$admno'");
$row = mysql_fetch_array($result);
?>
<body>
<?php
echo "<center><img style='border:8px solid grey' width='120' height='120'
src=images/student/".$row['img']."'>";
echo "</a>";
?>
<form action="ph_upload.php" method="POST" enctype="multipart/form-data">
Add/Change Photo<input type="file" name="image" required style="width:180px">
<input type="text" name="adm_no" value="<?php echo $row['adm_no'];?>" hidden>
<input type="submit" value="Click to Update" name="phupd"
style="height:30px;width:100px">
</form>
<form action="edit_adm_prof_pro1.php" method="POST">
<input type="text" name="adm_no" value="<?php echo $row['adm_no'];?>" hidden>
<b>ROLL NO.</b>
<b><font color="red"><?php echo $row['adm_no'];?></font></b>
<table border="20" width="700" height="100" cellspacing="3" cellpadding="1"
bordercolor=#21DBD9' bgcolor=#E5F4F4">
<TR bgcolor=#E5F4F4">
<TD><b><font color="blue">1.NAME OF STUDENT</b></TD>
<TD><center><?php echo $row['name'];?></TD>
</TR>
<TR bgcolor=#E5F4F4">

```

```

<center>
<TD>
<b><font color="blue">2.ADMSSION YEAR</font></b>
</TD>
<TD><center>
<select name="year">
<option value="<?php echo $row['year'];?>"><?php echo $row['year'];?></option>
<option>-----</option>
<option>1992</option>
<option>1993</option>
<option>1994</option>
<option>1995</option>
<option>1996</option>
<option>1997</option>
<option>1998</option>
<option>1999</option>
<option>2000</option>
<option>2001</option>
<option>2002</option>
<option>2003</option>
<option>2004</option>
<option>2005</option>
<option>2006</option>
<option>2007</option>
<option>2008</option>
<option>2009</option>
<option>2010</option>
<option>2011</option>
<option>2012</option>
<option>2013</option>
<option>2014</option>
</select>
</TD>
</TR>

<TR>
<TD bgcolor='#E5F4F4'><b><font color='blue'>4.NAME OF THE
VILLAGE/TOWN</b></TD>
<TD><center><input type="text" name="twnvill" value="<?php echo $row['twnvill'];?>"
required maxlength="30"></TD>
</TR>
<TD><b><font color='blue'>5.DATE OF BIRTH</b></TD>
<TD><center><input type="date" name="dob" value="<?php echo $row['dob'];?>"
required></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><b><font color='blue'>6.GENDER</b></TD>
<TD><center>
<select name="gen" required>
<option value="<?php echo $row['gen'];?>"><?php echo $row['gen'];?></option>
<option>-----</option>
<option>Male</option>
<option>Female</option>

```

```

<option>Others</option>
</select>
</TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><b><font color='blue'>7.RELIGION</b></TD>
<TD><center><input type="text" name="religion" value="<?php echo $row['religion'];?>"
required maxlength="15"></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><b><font color='blue'>8.CASTE</b></TD>
<TD><center><input type="text" name="caste" value="<?php echo $row['caste'];?>" required
maxlength="40"></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><b><font color='blue'>9.Select Courses</b></TD>
<TD><center>
<select name="comunit" required>
<option value="<?php echo $row['comunit'];?>"><?php echo $row['comunit'];?></option>
<option>-----</option>
<option>B.Sc</option>
<option>B.Com</option>
<option>B.A</option>
<option>BCA</option>
<option>BBA</option>
</select>
</TD>
</TR>
</table>
<br>
<table border="20" width="700" height="100" cellspacing="3" cellpadding="1"
bordercolor=#21DBD9' bgcolor='#E5F4F4'>
<center><b>10.LIVING WITH PARENTS/GUARDIAN</center>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(a)Name of the father/Guardian</i></TD>
<TD><center><input type="text" name="fname" value="<?php echo $row['fname'];?>"
required maxlength="50"></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(b)Father/Guardian's Educational Qualification &
Occupation</i></TD>
<TD><center><textarea name="f_ed_qua" rows="4" cols="27" required
maxlength="100"><?php echo $row['f_ed_qua'];?></textarea></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(c)Full Address with Pin Code</i></TD>
<TD><center><textarea name="f_add_pin" rows="4" cols="25" required
maxlength="100"></textarea></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(d)Contact No.</i></TD>
<TD><center><input type="text" name="ph_no" required maxlength="15" id='ph_no'>
</TD>

```



```
</TR>
</TABLE>
</TD>
</TR>
</table>
<hr class="vertical"/>
<STYLE>
hr.vertical
{
    width: 0px;
    height: 5%;
}
</STYLE>
<table height="50" cellspacing="3" cellpadding="8" bordercolor="#21DBD9'
bgcolor=#E5F4F4'>
<TR bgcolor=#E5F4F4'>
<TD><center><input type="submit" value="Conform & Update" name="upd"
style="height:30px;width:130px"></TD>
<TD><center><input type="button" value="Cancel" style="width:120px; height:30px"
onclick="window.location ='dashboard.php'"></TD>
</TR>
</table>
</form>
```

```
<?php
}
ob_end_flush();
?>
```

10. edit_adm_prof_pro1

```
<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if(!isset($_SESSION['stduid2'])&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}
?>
```

```
<?php
if(isset($_POST['upd']))
{
$adm_no=mysql_real_escape_string($_POST['adm_no']);
$year=mysql_real_escape_string($_POST['year']);
$twnvill=mysql_real_escape_string($_POST['twnvill']);
$dob=mysql_real_escape_string($_POST['dob']);
$gen=mysql_real_escape_string($_POST['gen']);
$religion=mysql_real_escape_string($_POST['religion']);
```

```

$caste=mysql_real_escape_string($_POST['caste']);
$comunit=mysql_real_escape_string($_POST['comunit']);
$fname=mysql_real_escape_string($_POST['fname']);
$f_ed_qua=mysql_real_escape_string($_POST['f_ed_qua']);
$f_add_pin=mysql_real_escape_string($_POST['f_add_pin']);
$ph_no=mysql_real_escape_string($_POST['ph_no']);

```

```

$sql="UPDATE stud_adm SET
year='$year',twnvill='$twnvill',dob='$dob',gen='$gen',religion='$religion',caste='$caste',comun
it='$comunit',fname='$fname',f_ed_qua='$f_ed_qua',
f_add_pin='$f_add_pin',ph_no='$ph_no' WHERE adm_no='$adm_no'";

```

```

$result= mysql_query($sql);

```

```

if($result)

```

```

{
echo "<br><br><br><br><br><center><h3>Updated Successfully" ;
}

```

```

else

```

```

{
echo "Failed to Update";
}
}

```

```

?>

```

```

<br><br>
<center>

```

```

<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location ='dashboard.php'">

```

11.enroll.php

```

<?php

```

```

include_once("bg.php");

```

```

include_once("config.php");

```

```

ob_start();

```

```

session_start();

```

```

if(!isset($_SESSION['stduid2'])&&!isset($_SESSION['stdpwd2']))

```

```

{
header('Location: default.php') ;
}

```

```

?>

```

```

<html>

```

```

<head></head>

```

```

<title></title>

```

```

<body>

```

```

<?php

```

```

$sql="SELECT * FROM last_entry WHERE id='1'";

```

```

$result=mysql_query($sql);

```

```

if($row=mysql_fetch_array($result))

```

```

{
echo '<b>Last Entry for Admission ' ;

```



```

ob_start();
session_start();
if((!isset($_SESSION['stduid2']))||(!isset($_SESSION['stdpwd2']))||(!isset($_SESSION['masp
wd2'])))
{
header('Location: deladmin.php');
}

?>
<html>
<head></head>
<title></title>
<body>

<?php
$sql="SELECT * FROM last_entry WHERE id='1'";
$result=mysql_query($sql);
if($row=mysql_fetch_array($result))
{
echo '<b>Last Entry for Admission ' ;
echo "</br>";
echo "&nbsp;";
echo $row['adm_no'];
}
else
{
echo "Last Entry not Found";
}
?>
<br><br><br><br>
<center>
<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location ='dashboard.php'">
<br><br>
<table border="20" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form method="GET" action="enroll_name_del_pro.php">
<TR>

<TD>
<b>ADMISSION NO.</b>
</TD>
<TD>
<input type="text" name="admno" style="width:150px;height:20px" required autofocus>
</TD>
</TR>
<TR>
<TD></TD>
<TD>
&nbsp;
<input type="submit" name="delete" value="Submit" style="height:30px; width:120px">

&nbsp;&nbsp;&nbsp;

```

```
</form>
</table>
</center>
</body>
```

13.enroll_name_del_confirm

```
<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((isset($_SESSION['stduid2']))||(isset($_SESSION['stdpwd2']))||(isset($_SESSION['masp
wd2'])))
{
header('Location: deladmin.php');
}
?>
```

```
<html>
<head></head>
<title></title>
<body>
```

```
<?php
$sql="SELECT * FROM last_entry WHERE id='1'";
$result=mysql_query($sql);
if($row=mysql_fetch_array($result))
{
echo '<b>Last Entry for Admission ' ;
echo "</br>";
echo "&nbsp";
echo $row['adm_no'];
}
else
{
echo "Last Entry not Found";
}
?>
<br><br><br><br>
<center>
<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location ='dashboard.php'">
<br><br>
<table border="20" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor=#E5F4F4>
<form method="GET" action="enroll_name_del_pro.php">
<TR>

<TD>
<b>ADMISSION NO.</b>
</TD>
<TD>
```

```
<input type="text" name="admno" style="width:150px;height:20px" required autofocus>
</TD>
</TR>
<TR>
<TD></TD>
<TD>
&nbsp;
<input type="submit" name="delete" value="Submit" style="height:30px; width:120px">

&nbsp;&nbsp;&nbsp;
</form>
</table>
</center>
</body>
```

14.enroll_name_delpro

```
<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))||(!isset($_SESSION['stdpwd2']))||(!isset($_SESSION['masp
wd2'])))
{
header('Location:deladmin.php') ;
}
?>
<?php
if(isset($_GET['delete']))
{
$admno=mysql_real_escape_string($_GET['admno']);
$result=mysql_query("SELECT * FROM stud_adm WHERE adm_no='$admno'");
$row= mysql_fetch_array($result);
?>
<body>
<br><br><br><br>
<center>
<form action="enroll_name_del_confirm.php" method="GET">
<table border="20" height="100" cellspacing="5" cellpadding="5" bordercolor='#21DBD9'
bgcolor='#E5F4F4">
<input type="text" name="admno" value="<?php echo $row['adm_no'];?>" hidden>
<TR>
<TD><b>ADMISSION NO.</b></TD>
<TD><center>
<?php echo $row['adm_no'];?>
</center>
<TR>
<TD><b>PHOTO</b></TD>
<TD>
<?php echo "<center><img width='120' height='120' src=images/student/'.".$row['img'].">";?>
</TD>
```



```
</TR>
<TR>
<TD>
<b>NAME OF STUDENT</b>
</TD>
<TD>
<center>
<?php echo $row['name'];?>
</center>
</TD>
</TR>
<TD>
&nbsp;   <input type="submit" value="Conform & Delete" name="deleteconfirm"
style="height:30px;width:120px">
&nbsp;   
&nbsp;   <input type="button" value="Cancel" style="width:120px; height:30px"
onclick="window.location ='dashboard.php'">
</TD>
</table>
</form>
<?php
}
else
{
echo "<center><h3>". "No Such Admission found". "</h3></center>";
echo '<p><center><input type="button" style="height:30px;/width:200px" value="Retry"
onclick="window.location =\'enroll_name_del.php\'" /></p>';
echo "</br></br>";
echo '<p><center><input type="button" style="height:30px;/width:200px" value="Goto Home"
onclick="window.location =\'dashboard.php\'" /></p>';
}
ob_end_flush();
?>
```

15.enroll_name_del_pro1

```
<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))||(!isset($_SESSION['stdpwd2']))||(!isset($_SESSION['masp
wd2'])))
{
header('Location: default.php') ;
}
?>
<table border="20" height="100" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form action="enroll_name_del_confirm.php" method="POST" autocomplete="off">
<TR>
<TD><b>User-Id</b></TD>
```



```

if(isset($_POST['enroll']))
{
$admno=mysql_real_escape_string($_POST['admno']);
$name=mysql_real_escape_string($_POST['name']);
$sql1="INSERT INTO stud_id(adm_no) VALUES('$admno')";

$result1 = mysql_query($sql1);
if($result1)
{
//Admission entry
$sql2="INSERT INTO stud_adm(adm_no,name)
VALUES('$admno','$name')";
$result2 = mysql_query($sql2);

//Last Entry
$sql5="UPDATE last_entry SET adm_no='$admno',name='$name' WHERE id='1'";
$result5 = mysql_query($sql5);

//extra1 entry
$sql6="INSERT INTO extra1(adm_no,name)
VALUES('$admno','$name')";
$result6 = mysql_query($sql6);

//extra2 entry
$sql7="INSERT INTO extra2(adm_no,name)
VALUES('$admno','$name')";
$result7 = mysql_query($sql7);

//extra3 entry
$sql8="INSERT INTO extra3(adm_no,name)
VALUES('$admno','$name')";
$result8 = mysql_query($sql8);

echo "</br></br></br></br></br></br></br>";
echo "<center><h3>". "Enrolled Successfully". "</h3></center>";
echo '<center><input type="button" style="height:30px" value="Go Home"
onclick="window.location =\'dashboard.php\'" />';
}
else
{
echo "</br></br></br></br></br></br></br>";
echo "<center><h3>". "Admission Number already Exists/ Invalid details". "</h3></center>";
echo '<p><center><input type="button" style="height:70px;width:150px" value="Retry"
onclick="window.location =\'enroll.php\'" /></p>';
echo '<p><center><input type="button" style="height:70px;width:150px" value="Goto Home"
onclick="window.location =\'dashboard.php\'" /></p>';
}
}
else
{
echo "</br></br></br></br></br></br></br>";
echo "<center><h3>". "Unauthorized Entry". "</h3></center>";
}
}

```

```
echo '<p><center><input type="button" style="height:30px;width:200px" value="Goto Main Page" onclick="window.location =\'dashboard.php\'" /></p>';
```

```
}  
ob_end_flush();
```

```
?>
```

17.logout.php

```
<?php  
include_once("bg.php");  
ob_start();  
session_start();  
unset($_SESSION['stduid2']);  
unset($_SESSION['stdpwd2']);  
unset($_SESSION['maspwd2']);  
?>
```

```
<?php  
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))  
{  
echo "<br/>". "</br>". "<br/>". "</br>". "<br/>". "</br>";  
echo "<b><center><h1>You are Logged out</h1></b>";  
echo '<p><input type="button" style="height:30px" value="Click here to Log-In Again" onclick="window.location =\'default.php\'" /></p>';  
}  
?>
```

18. ph_upload.php

```
<?php  
include_once("bg.php");  
include_once("config.php");  
ob_start();  
session_start();  
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))  
{  
header('Location: default.php') ;  
}  
?>  
<?php  
if(isset($_POST['phupd']))  
{  
$admno=mysql_real_escape_string($_POST['adm_no']);  
$photo = $_FILES['image']['name'];  
$random_digit=rand(0000,9999);  
$random_digits=rand(0000,9999);  
$new_file_name=$random_digit.$random_digits. urlencode($photo);
```



```

$target= "images/student/".$new_file_name;
$img=$new_file_name;
$sql="UPDATE stud_adm SET img='$img' WHERE adm_no='$admno'";
$result= mysql_query($sql);
$immo=move_uploaded_file($_FILES['image']['tmp_name'],$target);
echo "<br><br><br><br><br><center><h3>Photo Updated Successfully" ;
}
?>
<center>
<form action="edit_adm_prof_pro.php" method="GET">
<input type="text" name="admno" value="<?php echo $admno;?>" hidden>
<input type="submit" value="Click here to Proceed" name="edit"
style="height:30px;width:200px">
</form>
</center>

```

14. stud_edit_adm_prof

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if(!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}
?>
<html>
<head></head>
<title></title>
<body>
<center>
<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location='dashboard2.php'">
<h3>Edit by Admission number</h3>
<table border="10" height="100" cellspacing="10" cellpadding="10" bordercolor="#21DBD9"
bgcolor="#E5F4F4">
<form method="GET" action="stud_edit_adm_prof_pro.php">
<TR>
<TD>
<b>ROLL NO.</b>
</TD>
<TD>
<input type="text" name="admno" style="width:150px;height:20px" required autofocus>
</TD>
<TD>
<input type="submit" name="edit" value="Search" style="height:30px;width:90px">
</form>
</table>
<h3>Edit by Student Name</h3>

```

```

<table border="10" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form method="GET" action="stud_edit_adm_prof.php">
<TR>
<TD>
<b>STUDENT NAME:</b>
</TD>
<TD>
<input type="text" name="name" style="width:180px;height:20px" required>
</TD>
<TD>
<input type="submit" name="editbyname" value="Search" style="height:30px;width:90px">
</form>
</table>
<br>
<?php
if(isset($_GET['editbyname']))
{
$name=mysql_real_escape_string($_GET['name']);
$sql = mysql_query("SELECT * FROM stud_adm WHERE name LIKE '%$name%'");
echo mysql_num_rows($sql);
echo "<b>". " result found";
echo "<center>";
echo "<table border='20' height='100' width='900' cellspacing='3' cellpadding='3'
bordercolor='#21DBD9'>
<tr>
<th>Photo</th>
<th>Admission No.</th>
<th>Name</th>
<th>More Details</th></tr>";
//And we display the results
while($row = mysql_fetch_assoc($sql))
{
echo "<tr bgcolor='#E5F4F4'>";
$admno=$row['adm_no'];
echo "<td width='3%'>". "<center><img width='120' height='120'
src=images/student/" . $row['img'] . ">";
echo "<td width='3%'>". "<center>". $row['adm_no'] . "</td>";
echo "<td width='3%'>". "<center>". $row['name'] . "</td>";
echo "<td width='3%'>";
echo "<center><a href='stud_edit_adm_prof_pro.php?admno=$admno&edit=Search'>Edit
details</a>";
echo "</td>";
echo "</tr>";
}
echo "</table></center>";
}
?>
</center>
</body>

```

20. stud_edit_adm_prof_pro

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if(!isset($_SESSION['stduid2'])&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}
?>

```

```

<?php
if(isset($_GET['edit']))
{
$admno=mysql_real_escape_string($_GET['admno']);
$result =mysql_query("SELECT * FROM stud_adm WHERE adm_no='$admno'");
$row = mysql_fetch_array($result);
?>
<body>
<?php
echo "<center><img style='border:8px solid grey' width='120' height='120'
src=images/student/" . $row['img'] . ">";
echo "</a>";
?>
<form action="ph_upload.php" method="POST" enctype="multipart/form-data">
Add/Change Photo<input type="file" name="image" required style="width:180px">
<input type="text" name="adm_no" value="<?php echo $row['adm_no'];?>" hidden>
<input type="submit" value="Click to Update" name="phupd"
style="height:30px;width:100px">
</form>
<form action="stud_edit_adm_prof_pro1.php" method="POST">
<input type="text" name="adm_no" value="<?php echo $row['adm_no'];?>" hidden>
<b>ROLL NO.</b>
<b><font color="red"><?php echo $row['adm_no'];?></font></b>
<table border="20" width="700" height="100" cellspacing="3" cellpadding="1"
bordercolor='#21DBD9' bgcolor='#E5F4F4'>
<TR bgcolor='#E5F4F4'>
<TD><b><font color="blue">1.NAME OF STUDENT</font></b></TD>
<TD><center><?php echo $row['name'];?></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<center>
<TD>
<b><font color="blue">2.ADMSSION YEAR</font></b>
</TD>
<TD><center>
<select name="year">
<option value="<?php echo $row['year'];?>"><?php echo $row['year'];?></option>
<option>-----</option>
<option>1992</option>
<option>1993</option>
<option>1994</option>
<option>1995</option>

```



```
<option>1996</option>
<option>1997</option>
<option>1998</option>
<option>1999</option>
<option>2000</option>
<option>2001</option>
<option>2002</option>
<option>2003</option>
<option>2004</option>
<option>2005</option>
<option>2006</option>
<option>2007</option>
<option>2008</option>
<option>2009</option>
<option>2010</option>
<option>2011</option>
<option>2012</option>
<option>2013</option>
<option>2014</option>
</select>
</TD>
</TR>
<TR>
<TD bgcolor=#E5F4F4><b><font color='blue'>3.NAME OF THE
VILLAGE/TOWN</b></TD>
<TD><center><input type="text" name="twnvill" value="<?php echo $row['twnvill'];?>"
required maxlength="30"></TD>
</TR>
<TD><b><font color='blue'>4.DATE OF BIRTH</b></TD>
<TD><center><input type="date" name="dob" value="<?php echo $row['dob'];?>"
required></TD>
</TR>
<TR bgcolor=#E5F4F4>
<TD><b><font color='blue'>5.GENDER</b></TD>
<TD><center>
<select name="gen" required>
<option value="<?php echo $row['gen'];?>"><?php echo $row['gen'];?></option>
<option>-----</option>
<option>Male</option>
<option>Female</option>
<option>Others</option>
</select>
</TD>
</TR>
<TR bgcolor=#E5F4F4>
<TD><b><font color='blue'>6.RELIGION</b></TD>
<TD><center><input type="text" name="religion" value="<?php echo $row['religion'];?>"
required maxlength="15"></TD>
</TR>
<TR bgcolor=#E5F4F4>
<TD><b><font color='blue'>7.CASTE</b></TD>
<TD><center><input type="text" name="caste" value="<?php echo $row['caste'];?>" required
maxlength="40"></TD>
```

```

</TR>
<TR bgcolor='#E5F4F4'>
<TD><b><font color='blue'>8.Select Course</b></TD>
<TD><center>
<select name="comunit" required>
<option value="<?php echo $row['comunit'];?>"><?php echo $row['comunit'];?></option>
<option>-----</option>
<option>B.Sc</option>
<option>B.Com</option>
<option>B.A</option>
<option>BCA</option>
<option>BBA</option>
</select>
</TD>
</TR>
</table>
<br>
<table border="20" width="700" height="100" cellspacing="3" cellpadding="1"
bordercolor='#21DBD9' bgcolor='#E5F4F4'>
<center><b>10.LIVING WITH PARENTS/GUARDIAN</b></center>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(a)Name of the father/Guardian</i></TD>
<TD><center><input type="text" name="fname" value="<?php echo $row['fname'];?>"
required maxlength="50"></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(b)Father/Guardian's Educational Qualification &
Occupation</i></TD>
<TD><center><textarea name="f_ed_qua" rows="4" cols="27" required
maxlength="100"><?php echo $row['f_ed_qua'];?></textarea></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(c)Full Address with Pin Code</i></TD>
<TD><center><textarea name="f_add_pin" rows="4" cols="25" required
maxlength="100"><?php echo $row['f_add_pin'];?></textarea></TD>
</TR>
<TR bgcolor='#E5F4F4'>
<TD><i><font color='blue'>(d)Contact No.</i></TD>
<TD><center><input type="text" name="ph_no" required maxlength="15"><?php echo
$row['ph_no'];?>
</TD>
</TR>
</TABLE>
</TD>
</TR>
</table>
<hr class="vertical"/>
<STYLE>
hr.vertical
{
width: 0px;
height: 5%;
}

```

```

</STYLE>
<table height="50" cellspacing="3" cellpadding="8" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<TR bgcolor='#E5F4F4'>
<TD><center><input type="submit" value="Conform & Update" name="upd"
style="height:30px;width:130px"></TD>
<TD><center><input type="button" value="Cancel" style="width:120px; height:30px"
onclick="window.location ='dashboard2.php'"></TD>
</TR>
</table>
</form>

```

```

<?php
}
ob_end_flush();
?>

```

21. stud_edit_adm_prof_pro1.php

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}

```

```
?>
```

```

<?php
if(isset($_POST['upd']))
{
$adm_no=mysql_real_escape_string($_POST['adm_no']);
$year=mysql_real_escape_string($_POST['year']);
$twnvill=mysql_real_escape_string($_POST['twnvill']);
$dob=mysql_real_escape_string($_POST['dob']);
$gen=mysql_real_escape_string($_POST['gen']);
$religion=mysql_real_escape_string($_POST['religion']);
$caste=mysql_real_escape_string($_POST['caste']);
$comunit=mysql_real_escape_string($_POST['comunit']);
$fname=mysql_real_escape_string($_POST['fname']);
$f_ed_qua=mysql_real_escape_string($_POST['f_ed_qua']);
$f_add_pin=mysql_real_escape_string($_POST['f_add_pin']);
$ph_no=mysql_real_escape_string($_POST['ph_no']);

```

```

$sql="UPDATE stud_adm SET
year='$year',twnvill='$twnvill',dob='$dob',gen='$gen',religion='$religion',caste='$caste',comun
it='$comunit',fname='$fname',f_ed_qua='$f_ed_qua',
f_add_pin='$f_add_pin',ph_no='$ph_no' WHERE adm_no='$adm_no'";

```

```

$result= mysql_query($sql);

if($result)
{
echo "<br><br><br><br><br><center><h3>Updated Successfully" ;
}
else
{
echo "Failed to Update";
}
}
?>
<br><br>
<center>
<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location ='dashboard2.php'">

```

21. stud_enroll.php

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))&&(!isset($_SESSION['stdpwd2'])))
{
header('Location: default.php') ;
}

?>
<html>
<head></head>
<title></title>
<body>
<?php
$sql="SELECT * FROM last_entry WHERE id='1'";
$result=mysql_query($sql);
if($row=mysql_fetch_array($result))
{
echo '<b>Last Entry for Admission ' ;
echo "</br>";
echo "&nbsp;";
echo $row['adm_no'];
}
else
{
echo "Last Entry not Found";
}
?>
<br><br><br><br>
<center>

```



```

$name=mysql_real_escape_string($_POST['name']);
$sql1="INSERT INTO stud_id(adm_no) VALUES('$admno')";

$result1 = mysql_query($sql1);
if($result1)
{
//Admission entry
$sql2="INSERT INTO stud_adm(adm_no,name)
VALUES('$admno','$name')";
$result2 = mysql_query($sql2);

//Last Entry
$sql5="UPDATE last_entry SET adm_no='$admno',name='$name' WHERE id='1'";
$result5 = mysql_query($sql5);

//extra1 entry
$sql6="INSERT INTO extra1(adm_no,name)
VALUES('$admno','$name')";
$result6 = mysql_query($sql6);

//extra2 entry
$sql7="INSERT INTO extra2(adm_no,name)
VALUES('$admno','$name')";
$result7 = mysql_query($sql7);

//extra3 entry
$sql8="INSERT INTO extra3(adm_no,name)
VALUES('$admno','$name')";
$result8 = mysql_query($sql8);

echo "</br></br></br></br></br></br></br></br>";
echo "<center><h3>". "Enrolled Successfully". "</h3></center>";
echo '<center><input type="button" style="height:30px" value="Go Home"
onclick="window.location =\'dashboard2.php\'" />';
}
else
{
echo "</br></br></br></br></br></br></br></br>";
echo "<center><h3>". "Admission Number already Exists/ Invalid details". "</h3></center>";
echo '<p><center><input type="button" style="height:70px;width:150px" value="Retry"
onclick="window.location =\'stud_enroll.php\'" /></p>';
echo '<p><center><input type="button" style="height:70px;width:150px" value="Goto Home"
onclick="window.location =\'dashboard2.php\'" /></p>';
}
}
else
{
echo "</br></br></br></br></br></br></br></br>";
echo "<center><h3>". "Unauthorized Entry". "</h3></center>";
echo '<p><center><input type="button" style="height:30px;width:200px" value="Goto Main
Page" onclick="window.location =\'dashboard2.php\'" /></p>';
}
}

```

```
ob_end_flush();
```

```
?>
```

```
23. stud_reg.php
```

```
<?php
```

```
include_once("bg.php");
```

```
include_once("config.php");  
ob_start();
```

```
session_start();
```

```
?>
```

```
<?php
```

```
$result =mysql_query("SELECT * FROM stud_user ");  
$row = mysql_fetch_array($result);
```

```
?>
```

```
<body>
```

```
<center>
```

```
<table border="20" height="100" cellpadding="10" bordercolor='#21DBD9'  
bgcolor='#E5F4F4'>
```

```
<form action="stud_reg_pro.php" method="POST" autocomplete="off">
```

```
<TR>STUDENT<TD><b>User-Id</b></TD>
```

```
<TD>
```

```
<input type="email" name="eid" style="width:180px;height:20px" required>
```

```
<?php echo $row['eid'];?>
```

```
</TD>
```

```
</TR>
```

```
<TR>
```

```
<TD><b>Password</b></TD>
```

```
<TD>
```

```
<input type="password" name="pwd" style="width:180px;height:20px" required><?php echo  
$row['pwd'];?>
```

```
</TD>
```

```
</TR>
```

```
<TR>
```

```
<TD>
```

```
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
```

```
<input type="submit" value="Register" name="reg" style="height:30px;width:80px">
```

```
</TD>
```

```
</TR>
```

```
</form>
```

```
</table>
```

```
</center>
```

```

</body>
<?php
if(isset($_POST['reg']))
{
$eid = mysql_real_escape_string($_POST['eid']);
$pwd = mysql_real_escape_string($_POST['pwd']);
$result = mysql_query("SELECT * FROM user WHERE eid='$eid' AND pwd='$pwd'");

if($row = mysql_fetch_array($result))
{
$_SESSION['stduid2']=$row['eid'];//stores userid session
$_SESSION['stdpwd2']=$row['pwd'];//stores password session
header('location:stud_reg_pro.php');
}
else
{
echo '<script type="text/javascript">alert("Invalid Username or Password!");</script>';
}
}
?>

```

24. stud_reg_pro.php

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}
?>

```

```

<?php
if(isset($_POST['reg']))
{
$eid=mysql_real_escape_string($_POST['eid']);
$pwd=mysql_real_escape_string($_POST['pwd']);

$sql1="INSERT INTO user(eid,pwd) VALUES('$eid','$pwd')";
$result= mysql_query($sql);

if($result)
{
echo "<br><br><br><br><br><center><h3>Updated Successfully" ;
}
else
{
echo "Failed to Update";
}
}

```

```

}
?>
<br><br>
<center>
<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location ='default.php'">

```

25. stud_view_adm_prof.php

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if(!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}
?>
<html>
<head></head>
<title></title>
<body>
<center>
<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location ='dashboard2.php'">
<h3>Search by Admission number</h3>
<table border="10" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form method="GET" action="stud_view_adm_prof1.php">
<TR>
<TD>
<b>ADMISSION NO.</b>
</TD>
<TD>
<input type="text" name="admno" style="width:150px;height:20px" required autofocus>
</TD>
<TD>
<input type="submit" name="view" value="Search" style="height:30px;width:90px">
</form>
</table>
<h3>Search by Student Name</h3>
<table border="10" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form method="GET" action="stud_view_adm_prof.php">
<TR>
<TD>
<b>STUDENT NAME:</b>
</TD>
<TD>
<input type="text" name="name" style="width:180px;height:20px" required>
</TD>

```

```

<TD>
<input type="submit" name="view" value="Search" style="height:30px;width:90px">
</form>
</table>
<br>
<?php
if(isset($_GET['view']))
{
$name=mysql_real_escape_string($_GET['name']);
$sql = mysql_query("SELECT * FROM stud_adm WHERE name LIKE '%$name%'");
echo mysql_num_rows($sql);
echo "<b>". " result found";
echo "<center>";
echo "<table border='20' height='100' width='900' cellspacing='3' cellpadding='3'
bordercolor='#21DBD9'>
<tr>
<th>Photo</th>
<th>Admission No.</th>
<th>Name</th>
<th>Class</th>
<th>More Details</th></tr>";
//And we display the results
while($row = mysql_fetch_assoc($sql))
{
echo "<tr bgcolor='#E5F4F4'>";
$admno=$row['adm_no'];
echo "<td width='3%'>". "<center><img width='120' height='120'
src=images/student/".$row['img']. ">";
echo "<td width='3%'>". "<center>".$row['adm_no']. "</td>";
echo "<td width='3%'>". "<center>".$row['name']. "</td>";
echo "<td width='3%'>";
echo "<center><a href='stud_view_adm_prof1.php?admno=$admno&view=view'>View
More</a>";
echo "</td>";
echo "</tr>";
}
echo "</table></center>";
}
?>
</center>
</body>

```

26. stud_view_adm_prof1.php

```

<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))

```



```
{  
header('Location: default.php') ;  
}  
?>
```

```
<?php  
if(isset($_GET['view']))  
{  
$admno=mysql_real_escape_string($_GET['admno']);  
$result = mysql_query("SELECT * FROM stud_adm WHERE adm_no='$admno'");  
$row = mysql_fetch_array($result);  
?>  
<body>  
<center>  
<?php  
echo "<center><a href='images/student/".$row['img']."' target='_blank'><img  
style='border:8px solid grey' width='120' height='120' src=images/student/".$row['img']."'>";  
echo "</a><br>";  
?>  
<input type="text" name="adm_no" value="<?php echo $row['adm_no'];?>" hidden>  
<b>ADMISSION NO.</b>  
<b><font color="red"><?php echo $row['adm_no'];?></font></b>  
<table border="20" width="700" height="100" cellspacing="3" cellpadding="1"  
bordercolor='#21DBD9' bgcolor='#E5F4F4'>  
<TR>  
<TD><b><font color="blue">1.NAME OF STUDENT</b></TD>  
<TD><center><?php echo $row['name'];?></TD>  
</TR>  
<TR>  
<center>  
<TD>  
<b><font color="blue">2.ADMSSION YEAR</font></b>  
</TD>  
<TD><center>  
<?php echo $row['year'];?>  
</TD>  
</TR>  
<TR>  
<center>  
<?php echo $row['tc_issue'];?>  
</TD>  
</TR>  
<TR>  
<TD><b><font color='blue'>3.NAME OF THE VILLAGE/TOWN</b></TD>  
<TD><center><?php echo $row['twnvill'];?></TD>  
</TR>  
<TR>  
<TD><b><font color='blue'>4.DATE OF BIRTH</b></TD>  
<TD><center><?php echo $row['dob'];?></TD>  
</TR>  
<TR>  
<TD><b><font color='blue'>5.GENDER</b></TD>  
<TD><center>  
<?php echo $row['gen'];?>  
</TD>
```

```

</TR>
<TR>
<TD><b><font color='blue'>6.RELIGION</b></TD>
<TD><center><?php echo $row['religion'];?></TD>
</TR>
<TR>
<TD><b><font color='blue'>7.CASTE</b></TD>
<TD><center><?php echo $row['caste'];?></TD>
</TR>
<TR>
<TD><b><font color='blue'>8.COMMUNITY</b></TD>
<TD><center>
<?php echo $row['comunit'];?>
</TD>
</TR>
</table>
<br>
<table border="20" width="700" height="100" cellspacing="3" cellpadding="1"
bordercolor='#21DBD9' bgcolor='#E5F4F4'>
<center><b>9.LIVING WITH PARENTS/GUARDIAN</center>
<TR>
<TD><i><font color='blue'>(a)Name of the father/Guardian</i></TD>
<TD><center><?php echo $row['fname'];?></TD>
</TR>
<TR>
<TD><i><font color='blue'>(b)Father/Guardian's Educational Qualification &
Occupation</i></TD>
<TD><center><?php echo $row['f_ed_qua'];?></TD>
</TR>
<TR>
<TD><i><font color='blue'>(c)Full Address with Pin Code</i></TD>
<TD><center><?php echo $row['f_add_pin'];?></TD>
</TR>
<TR>
<TD><i><font color='blue'>(c)Contact No.</i></TD>
<TD><center><?php echo $row['ph_no'];?></TD>
</TR>
</TABLE>
<table height="50" cellspacing="3" cellpadding="8" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<TR bgcolor='#E5F4F4'>
<TD><center><input type="button" value="Go Home" style="width:120px; height:30px"
onclick="window.location ='dashboard2.php'"></TD>
</TR>
</table>
</form>

<?php
}
ob_end_flush();
?>

```

27. view_adm_prof.php

```
<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((!isset($_SESSION['stduid2']))&&!isset($_SESSION['stdpwd2']))
{
header('Location: default.php') ;
}
?>
<html>
<head></head>
<title></title>
<body>
<center>
<input type="button" style="height:40px;width:200px" value="Go to Home"
onclick="window.location ='dashboard.php'">
<h3>Search by Admission number</h3>
<table border="10" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form method="GET" action="view_adm_prof1.php">
<TR>
<TD>
<b>ADMISSION NO.</b>
</TD>
<TD>
<input type="text" name="admno" style="width:150px;height:20px" required autofocus>
</TD>
<TD>
<input type="submit" name="view" value="Search" style="height:30px;width:90px">
</form>
</table>
<h3>Search by Student Name</h3>
<table border="10" height="100" cellspacing="10" cellpadding="10" bordercolor='#21DBD9'
bgcolor='#E5F4F4'>
<form method="GET" action="view_adm_prof.php">
<TR>
<TD>
<b>STUDENT NAME:</b>
</TD>
<TD>
<input type="text" name="name" style="width:180px;height:20px" required>
</TD>
<TD>
<select name="cls_adm" required>
<option>LKG</option>
<option>UKG</option>
<option>I-STD</option>
<option>II-STD</option>
<option>III-STD</option>
<option>IV-STD</option>
```



```

<option>V-STD</option>
<option>VI-STD</option>
<option>VII-STD</option>
<option>VIII-STD</option>
<option>IX-STD</option>
<option>X-STD</option>
<option>XI-STD</option>
<option>XII-STD</option>
</select>
</TD>
<TD>
<input type="submit" name="view" value="Search" style="height:30px;width:90px">
</form>
</table>
<br>
<?php
if(isset($_GET['view']))
{
$name=mysql_real_escape_string($_GET['name']);
$cls_adm=mysql_real_escape_string($_GET['cls_adm']);
$sql = mysql_query("SELECT * FROM stud_adm WHERE name LIKE '%$name%' AND
cls_adm='$cls_adm'");
echo mysql_num_rows($sql);
echo "<b>". " result found";
echo "<center>";
echo "<table border='20' height='100' width='900' cellspacing='3' cellpadding='3'
bordercolor='#21DBD9'>
<tr>
<th>Photo</th>
<th>Admission No.</th>
<th>Name</th>
<th>Class</th>
<th>More Details</th></tr>";
//And we display the results
while($row = mysql_fetch_assoc($sql))
{
echo "<tr bgcolor='#E5F4F4'>";
$admno=$row['adm_no'];
echo "<td width='3%'>". "<center><img width='120' height='120'
src=images/student/".$row['img']. ">";
echo "<td width='3%'>". "<center>". $row['adm_no']. "</td>";
echo "<td width='3%'>". "<center>". $row['name']. "</td>";
echo "<td width='3%'>". "<center>". $row['cls_adm']. "&nbsp;". $row['cls_sec']. "</td>";
echo "<td width='3%'>";
echo "<center><a href='view_adm_prof1.php?admno=$admno&view=view'>View More</a>";
echo "</td>";
echo "</tr>";
}
echo "</table></center>";
}
?>
</center>
</body>

```

28. view_adm_prof1.php

```
<?php
include_once("bg.php");
include_once("config.php");
ob_start();
session_start();
if((isset($_SESSION['stduid2']))&&(isset($_SESSION['stdpwd2'])))
{
header('Location: default.php') ;
}
?>

<?php
if(isset($_GET['view']))
{
$admno=mysql_real_escape_string($_GET['admno']);
$result = mysql_query("SELECT * FROM stud_adm WHERE adm_no='$admno'");
$row = mysql_fetch_array($result);
?>
<body>
<center>
<?php
echo "<center><a href='images/student/" . $row['img'] . "' target='_blank'><img
style='border:8px solid grey' width='120' height='120' src=images/student/" . $row['img'] . "'>";
echo "</a><br>";
?>
<input type="text" name="adm_no" value="<?php echo $row['adm_no'];?>" hidden>
<b>ADMISSION NO.</b>
<b><font color="red"><?php echo $row['adm_no'];?></font></b>
<table border="20" width="700" height="100" cellspacing="3" cellpadding="1"
bordercolor='#21DBD9' bgcolor='#E5F4F4'>
<TR>
<TD><b><font color="blue">1.NAME OF STUDENT</b></TD>
<TD><center><?php echo $row['name'];?></TD>
</TR>
<TR>
<center>
<TD>
<b><font color="blue">2.ADMSSION YEAR</font></b>
</TD>
<TD><center>
<?php echo $row['year'];?>
</TD>
</TR>
<TD>
<b><font color='red'>3.TRANSFER CERTIFICATE</b>
</TD>

</TR>
<TR>
```

<TD>4.NAME OF THE VILLAGE/TOWN</TD>

<TD><center><?php echo \$row['twnvill'];?></TD>

</TR>

<TD>5.DATE OF BIRTH</TD>

<TD><center><?php echo \$row['dob'];?></TD>

</TR>

<TR>

<TD>6.GENDER</TD>

<TD><center>

<?php echo \$row['gen'];?>

</TD>

</TR>

<TR>

<TD>7.RELIGION</TD>

<TD><center><?php echo \$row['religion'];?></TD>

</TR>

<TR>

<TD>8.CASTE</TD>

<TD><center><?php echo \$row['caste'];?></TD>

</TR>

<TR>

<TD>9.COMMUNITY</TD>

<TD><center>

<?php echo \$row['comunit'];?>

</TD>

</TR>

</table>

<table border="20" width="700" height="100" cellspacing="3" cellpadding="1" bordercolor='#21DBD9' bgcolor='#E5F4F4'>

<center>10.LIVING WITH PARENTS/GUARDIAN</center>

<TR>

<TD><i>(a)Name of the father/Guardian</i></TD>

<TD><center><?php echo \$row['fname'];?></TD>

</TR>

<TR>

<TD><i>(b)Father/Guardian's Educational Qualification & Occupation</i></TD>

<TD><center><?php echo \$row['f_ed_qua'];?></TD>

</TR>

<TR>

<TD><i>(c)Full Address with Pin Code</i></TD>

<TD><center><?php echo \$row['f_add_pin'];?></TD>

</TR>

<TR>

<TD><i>(c)Contact No.</i></TD>

<TD><center><?php echo \$row['ph_no'];?></TD>

</TR>

</TABLE>

<table height="50" cellspacing="3" cellpadding="8" bordercolor='#21DBD9' bgcolor='#E5F4F4'>

<TR bgcolor='#E5F4F4'>

```
<TD><center><input type="button" value="Go Home" style="width:120px; height:30px"
onclick="window.location ='dashboard.php'"></TD>
</TR>
</table>
</form>
```

```
<?php
}
ob_end_flush();
?>
```



CONCLUSION

Student Information Management System can be used by education institutes to maintain the records of students easily. Achieving this objective is difficult using a manual system as the information is scattered, can be redundant and collecting relevant information may be very time consuming. All these problems are solved using this project

REFERENCES

1. PHP book
2. Beginning for PHP5
3. www.google.com.
4. www.wikipedia.com
5. www.w3schools.com